



TAKING YOU PLACES

Embark on a journey of epic proportions with the Sling 2, a true testament to aviation excellence. In 2009, this magnificent aircraft made history, carrying the visionary founders of Sling, Mike Blyth and James Pitman, on an awe-inspiring Around-The-World voyage. Spanning 40 days and covering an astounding 45,000 kilometers, this extraordinary feat included grueling 22-hour legs through the harshest of weather conditions. The Sling 2's mettle was tested, and it emerged victorious, setting a new standard for adventure in the aviation world, a testament to its engineering prowess.

As a stressed-skin, semi-monocoque aircraft, the Sling 2 is the embodiment of perfection, crafted from aviation-grade aluminium using cutting-edge CNC machines that offers unparalleled strength and durability. The result? A rugged beauty that embodies the essence of aviation. With a fusion of classic aluminium lines and state-of-the-art technological advancements, the Sling 2 not only looks the part, but also delivers an unparalleled flying experience and is also available in a taildragger variant.

Designed by pilots for pilots, extraordinary lengths have been taken to build an aircraft that is safe, reliable, and durable. The wide cockpit, excellent all-around view, and spacious luggage capacity make the Sling 2 a comfortable and versatile aircraft. But, with its sleek design, it is also a head-turner. Throw in best-in-class handling, manoeuvrability, and responsive feel, and you have yourself an aircraft that is truly making a mark in the history of aviation.







SLEEK DESIGN

Sublime and beautifully appointed, the Sling 2's interior features executive two-seat comfort. Enveloped in authentic leather and lavish carpeting, the Sling 2 stands out with an elegance that adds a touch of class to aircraft interiors.

Transform your Sling 2 into a flying masterpiece with our extensive range of standard and custom paint schemes, as well as vinyl designs. Sling proudly employs cutting-edge LEDs for all exterior lighting. Beyond their energy efficiency and reduced heat emissions, these lights provide an astonishing level of brightness, allowing for sharply defined beams. Every detail of the Sling 2 is meticulously crafted, ensuring an effortlessly elegant and impeccably finished aircraft that reflects our unwavering commitment to excellence.

UNRIVALLED AVIONICS

Elevate your aviation experience with Garmin's cutting-edge solutions that comes standard with the Sling 2. Crafted with precision, the Garmin 10" G3X Touch flight display boasts a seamlessly integrated native touchscreen interface. Representing a pinnacle of innovation, this large-format display stands as the culmination of Garmin's expertise, tailored exclusively for light sport aircraft and amateur-built aircraft. Engineered by Garmin's esteemed "Team X," the G5 electronic flight instrument guarantees unparalleled performance, unwavering reliability, and effortless installation, serving as an all-inclusive backup glass cockpit display. Complementing this, the Garmin GMC 507 control panel provides a dedicated interface, accommodating the G3X autopilots in experimental and light sport aircraft alike.





POWERPLANT & PERFORMANCE


The Sling 2 is powered by a 100 hp Rotax 912 iS engine, offers a time between overhauls of 2,000 hrs, and is the best power-to-weight ratio in its class. The Rotax 912 iS offers all the well-known advantages of the Rotax 4-stroke engine series as well as additional features which will ultimately enhance the flying and ownership experience of pilots.

The Sling 2 comes equipped with the 3-blade DUC FLASH propellers, delivering excellent climb performance and smooth, efficient operation. The lightweight composite construction reduces vibration and enhances comfort in flight, while the ground-adjustable pitch allows easy optimisation for different mission profiles—ultimately improving overall reliability, speed, and versatility.





SPECIFICATIONS



DIMENSIONS

WINGSPAN 30 ft 9.165 m	LENGTH 21.9 ft 6.675 m
HEIGHT 8 ft 2.45 m	CABIN WIDTH 46.5 in 1.18 m

WEIGHTS

STANDARD EMPTY WEIGHT	MAXIMUM USEFUL LOAD		
380 kg 838 lbs	320 kg 705 lbs		
MAXIMUM TAKEOFF WEIGHT			
700 kg 1,543 lbs			

Sling

GLOBAL SUPPORT

When you purchase your Sling aircraft, you join our family. That's why we pledge to offer a relationship that extends far beyond the delivery of your new aircraft, with a superior ownership experience. Although your Sling aircraft is beautifully constructed, regular aircraft maintenance and servicing are vital. Our customer support, back-up warranties, and maintenance and servicing at our AMO will ensure your Sling aircraft is able to take you on all the adventures you have planned for the years ahead. In addition, our team in Johannesburg, South Africa, works hand-in-hand with our global distributor and dealer network to ensure your delivery and support are second to none.

> slingaircraft.com sales@slingaircraft.com +27 11 948 9898